



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/855,199	05/14/2001	Vijaya Raghavan	04899-044001	8175
959	7590	04/10/2006	EXAMINER	
LAHIVE & COCKFIELD			ALHUA, SAIF A	
28 STATE STREET			ART UNIT	
BOSTON, MA 02109			PAPER NUMBER	

2128

DATE MAILED: 04/10/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	<b>Application No.</b> 09/855,199	<b>Applicant(s)</b> RAGHAVAN ET AL.	
	<b>Examiner</b> Saif A. Alhija	<b>Art Unit</b> 2128	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 03 January 2006.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-18 and 20-78 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-18 and 20-78 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 24 August 2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)  | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

**DETAILED ACTION**

1. Claims 1-18, and 20-78 have been presented for examination.

**Response to Amendment**

2. i) Examiner thanks the Applicant for agreeing to the change of title. An amendment to that effect is required.

ii) Examiner thanks the Applicant for supplying a copy of the Oath and therefore the objection to the Oath is withdrawn.

iii) The objection to the specification is maintained. The Examiner requires the Applicant to physically incorporate by reference the specific sections of the incorporated material, which are necessary to Applicants application. Failure to do so in the next reply will be held non-responsive.

iv) Examiner thanks the Applicant for supplying amended drawings and therefore the objection to the Drawings are withdrawn.

v) Examiner thanks the Applicant for clarification of the claims subsequent to the prior art rejection.

**Claim Rejections - 35 USC § 112**

**The following is a quotation of the second paragraph of 35 U.S.C. 112:**

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

3. **Claims 1, 12, 24, 32, 60, 66, 70 and 74 are rejected** under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

The claims contain the phrase “in conjunction with” which renders the claim vague and indefinite. It is unclear what is meant by “in conjunction with.” The phrase “in conjunction with” is ambiguous. The term doesn’t appear to be defined in the specification. Please refer to the specification when responding to the rejection.

Art Unit: 2128

All claims dependent on claims 1, 12, 24, 32, 60, 66, 70 and 74 are rejected by virtue of their dependency.

**Claim Rejections - 35 USC § 102**

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

4. Claim(s) 1-18, 20-78 are rejected under 35 U.S.C. 102(e) as being clearly anticipated by Kodosky et al. "System and Method for Programmatically Generating a Graphical Program in Response to a State Diagram" U.S. Patent Application Publication # 2002/0083413 A1.

**Regarding Claim 1:**

Kodosky et al. discloses a computer-implemented method comprising:

providing a graphical user interface for defining at least one function in conjunction with a graphical representation of a finite state machine (Page 14, Paragraph 165, Lines 1-5. Figure 19)

representing the at least one function graphically; (Page 14, Paragraph 165, Lines 1-5. Figure 19)

calling the function that is represented graphically from within the finite state machine. (Page 15, Paragraph 166, Lines 11-15)

**Regarding Claim 2:**

Art Unit: 2128

**Kodosky et al. discloses the method of claim 1 wherein defining the at least one function further comprises using a function block. (Page 14, Paragraph 165, Lines 7-9. Figure 19)**

**Regarding Claim 3:**

**Kodosky et al. discloses the method of claim 2 wherein defining the at least one function further comprises using a function prototype. (Page 2, Paragraph 11, Lines 1-6)**

**Regarding Claim 4:**

**Kodosky et al. discloses the method of claim 1 wherein the defining step further comprises using a function flow diagram. (Page 1, Paragraph 9, Lines 7-9)**

**Regarding Claim 5:**

**Kodosky et al. discloses the method of claim 1 wherein the function is represented graphically as a diagram comprising graphical elements. (Figure 8)**

**Regarding Claim 6:**

**Kodosky et al. discloses the method of claim 1 further comprising modifying the at least one function through graphical diagramming. (Figure 8)**

**Regarding Claim 7:**

**Kodosky et al. discloses a system comprising:**  
**a computer comprising a graphical user interface, memory, storage, and at least one input device;**  
**(Page 6, Paragraph 63, Lines 1-4)**

Art Unit: 2128

a computer program residing on computer readable media having instructions to cause the computer to: receive user input defining at least one graphical function; (**Page 6, Paragraph 63, Lines 1-8**)

receive user input to use the at least one graphical function in a simulation. (**Page 1, Paragraph 9, Lines 1-2**)

**Regarding Claim 8:**

**Kodosky et al. discloses** the system of claim 7 wherein the user input defining the at least one graphical function is entered into a function block. (**Page 1, Paragraph 9, Lines 1-2**)

**Regarding Claim 9:**

**Kodosky et al. discloses** the system of claim 7 wherein the user input defining the at least one graphical function includes a function prototype. (**Page 2, Paragraph 11, Lines 1-6**)

**Regarding Claim 10:**

**Kodosky et al. discloses** the system of claim 7 wherein the user input defining the at least one graphical function comprises a function flow diagram. (**Page 1, Paragraph 9, Lines 7-9**)

**Regarding Claim 11:**

**Kodosky et al. discloses** the system of claim 10 wherein the function flow diagram is comprised of graphical elements. (**Figure 8**)

**Regarding Claim 12:**

**Kodosky et al. discloses** a computer program product, stored in a computer readable medium, comprising instructions to cause a computer to:

receive user input defining at least one graphical function for use in conjunction with a finite state machine; **(Page 6, Paragraph 63, Lines 1-8)**

use the at least one graphical function in a simulation of a system represented by the finite state machine. **(Page 1, Paragraph 9, Lines 1-2)**

**Regarding Claim 13:**

**Kodosky et al. discloses** the computer program product of claim 12 wherein the user input defining the at least one graphical function is entered into a function block. **(Page 1, Paragraph 9, Lines 1-2)**

**Regarding Claim 14:**

**Kodosky et al. discloses** the computer program product of claim 12 wherein the user input defining the at least one graphical function includes a function prototype. **(Page 2, Paragraph 11, Lines 1-6)**

**Regarding Claim 15:**

**Kodosky et al. discloses** the computer program product of claim 12 wherein the user input comprises a function flow diagram. **(Page 1, Paragraph 9, Lines 7-9)**

**Regarding Claim 16:**

**Kodosky et al. discloses** the computer program product of claim 15 wherein the function flow diagram is comprised of graphical elements. **(Figure 8)**

Art Unit: 2128

**Regarding Claim 17:**

**Kodosky et al. discloses a system for modeling finite state machines comprising:**

a computer comprising a graphical user interface, memory, storage, and at least one input device;

**(Page 6, Paragraph 63, Lines 1-4)**

means to receive user input to define at least one graphical function; **(Page 6, Paragraph 63,**

**Lines 1-8)**

means to represent the graphical function as a state flow diagram; **(Page 2, Paragraph 16, Lines**

**4-9)**

means to use the graphical function in a simulation of at least one finite state machine. **(Page 15,**

**Paragraph 166, Lines 13-20)**

**Regarding Claim 18:**

**Kodosky et al. discloses the system of claim 17 wherein the user input to define the at least one graphical function is entered into a function block. (Page 1, Paragraph 9, Lines 1-2)**

**Regarding Claim 20:**

**Kodosky et al. discloses the system of claim 17 wherein the user input defining the at least one graphical function includes a function prototype. (Page 2, Paragraph 11, Lines 1-6)**

**Regarding Claim 21:**

**Kodosky et al. discloses the system of claim 17 wherein the user input comprises a function flow diagram. (Page 1, Paragraph 9, Lines 7-9)**



Art Unit: 2128

**Regarding Claim 22:**

**Kodosky et al. discloses the system of claim 21 wherein the function flow diagram is comprised of graphical elements. (Figure 8)**

**Regarding Claim 23:**

**Kodosky et al. discloses the system of claim 21 further comprising means for hiding the display of the function flow diagram based upon user input. (Page 15, Paragraph 169, Lines 7-12. Linking the non-graphical code does not involve adding it to the graphical program therefore it is hidden in the graphical environment.)**

**Regarding Claim 24:**

**Kodosky et al. discloses a method of operating a data processing system having a graphical user interface comprising:**

**creating a graphical representation of a finite state machine and a graphical representation of a function for use in conjunction with the finite state machine; and (Page 1, Paragraph 9, Lines 9-14)**

**simulating a system represented by the finite state machine. (Page 1, Paragraph 10, Lines 10-13)**

**Regarding Claim 25:**

**Kodosky et al. discloses the method of claim 24 wherein the graphical representation of the function comprises a function prototype. (Page 2, Paragraph 11, Lines 1-6)**

**Regarding Claim 26:**

Art Unit: 2128

**Kodosky et al. discloses the method of claim 25 wherein the function prototype defines a textual format for invoking the function. (Paragraph 132 Lines 1-5. Figure 8)**

**Regarding Claim 27:**

**Kodosky et al. discloses the method of claim 26 wherein the graphical representation of the finite state machine includes at least one invocation of the function using the defined textual format. (Page 12, Paragraph 132 Lines 1-5. Figure 8)**

**Regarding Claim 28:**

**Kodosky et al. discloses the method of claim 24 further comprising shadowing a function, wherein shadowing comprising using in a function invocation a function definition closest to a point of invocation of the function in a state diagram hierarchy. (Page 3, Paragraph 20, Lines 8-13; Creators priority order can allow for closest function definition to execute.)**

**Regarding Claim 29**

**Kodosky et al. discloses the method of claim 24 wherein the function is exportable by a state chart and may be invoked anywhere in the finite state machine in which the chart appears, including other charts that define the finite state machine. (Page 3, Paragraph 26, Lines 4-10. Page 9, Paragraph 100, Lines 1-5)**

**Regarding Claim 30:**

**Kodosky et al. discloses the method of claim 24 wherein simulating the system represented by the finite state machine further comprises computer code generation. (Page 12, Paragraph 133, Lines 1-4)**

Art Unit: 2128

**Regarding Claim 31:**

**Kodosky et al. discloses the method of claim 24**

wherein the graphical representation of the function comprises a function prototype defining a textual format for invoking the function; **(Page 12, Paragraph 132, Lines 1-5. Figure 8)**

and wherein the graphical representation of the finite state machine includes an invocation of the function using the defined textual format. **(Page 12, Paragraph 132, Lines 1-5. Figure 8)**

**Regarding Claim 32:**

**Kodosky et al. discloses a computer readable medium having encoded thereon**

instructions for causing a computer system to receive through a graphical user interface graphical representation of a finite state machine and a graphical representation of at least one function for use in conjunction with the finite state machine; and **(Page 1, Paragraph 9, Lines 9-14)**

instructions for simulating a system represented by the finite state machine. **(Page 1, Paragraph 10, Lines 10-13)**

**Regarding Claim 33:**

**Kodosky et al. discloses the computer readable medium of claim 32,**

wherein the graphical representation of the function comprises a function prototype defining a textual format for invoking the function; **(Page 2, Paragraph 11, Lines 1-6)**

and wherein the graphical representation of the finite state machine includes an invocation of the function using the define textual format. **(Page 12, Paragraph 132 Lines 1-5. Figure 8)**

**Regarding Claim 34:**

Art Unit: 2128

**Kodosky et al. discloses** in an electronic device, a method of graphically representing an event-driven system, comprising:

Providing one or more block components representing one or more states; **(Page 1, Paragraph 9, Lines 1-3)**

Providing one or more transition components representing transitions between the one or more block states; **(Page 2, Paragraph 16, Lines 1-4)** and

Providing a component representing a function and coupled with at least one the states or at least one of the transitions. **(Page 2, Paragraph 17, Lines 1-4)**

**Regarding Claim 35:**

**Kodosky et al. discloses** the method of claim 34, wherein the function accepts at least one argument and returns at least one result. **(Page 1, Paragraph 9, Lines 1-4)**

**Regarding Claim 36:**

**Kodosky et al. discloses** the method of claim 34, further comprising invoking the function at one or more transition components. **(Page 12, Paragraph 132 Lines 1-5. Figure 8. Page 1, Paragraph 10, Lines 1-5)**

**Regarding Claim 37:**

**Kodosky et al. discloses** the method of claim 34 further comprising specifying data properties of the function. **(Page 1, Paragraph 9, Lines 7-9)**

**Regarding Claim 38:**

Art Unit: 2128

**Kodosky et al. discloses the method of claim 34 further comprising associating a data item with the function. (Page 1, Paragraph 9, Lines 7-9. Page 2, Paragraph 11, Lines 2-7)**

**Regarding Claim 39:**

**Kodosky et al. discloses the method of claim 34, wherein the function comprises a graphical function. (Page 6, Paragraph 63, Lines 1-8)**

**Regarding Claim 40:**

**Kodosky et al. discloses the method of claim 34, wherein the function has a plurality of configurable properties. (Page 1, Paragraph 10, Lines 1-5)**

**Regarding Claim 41:**

**Kodosky et al. discloses the method of claim 34, wherein the function defines a textual format for invoking the function. (Page 12, Paragraph 132 Lines 1-5. Figure 8)**

**Regarding Claim 42:**

**Kodosky et al. discloses the method of claim 34, further comprising providing a shadowing function, wherein shadowing comprises using in a function invocation a function definition proximally closest to a point of invocation of the function in a state diagram hierarchy. (Page 3, Paragraph 20, Lines 8-13; Creators priority order can allow for closest function definition to execute.)**

**Regarding Claim 43:**

**Kodosky et al. discloses in a graphical representation environment, a system for graphically representing an event-driven system, comprising:**

Art Unit: 2128

One or more block components representing one or more states; **(Page 1, Paragraph 9, Lines 1-3)**

One or more transition components representing transitions between the one or more block components representing the states; **(Page 2, Paragraph 16, Lines 1-4) and**

A component representing a function coupled with at least one of the states or at least one of the transitions. **(Page 2, Paragraph 17, Lines 1-4)**

**Regarding Claim 44:**

**Kodosky et al. discloses** the system of claim 43, wherein the function accepts at least one argument and returns at least one result. **(Page 1, Paragraph 9, Lines 1-4)**

**Regarding Claim 45:**

**Kodosky et al. discloses** the system of claim 43, wherein at least a subset of the one or more block components representing the states and the one or more transition components can invoke the function. **(Page 12, Paragraph 132 Lines 1-5. Figure 8. Page 1, Paragraph 10, Lines 1-5)**

**Regarding Claim 46:**

**Kodosky et al. discloses** the system of claim 43, further comprising means for specifying data properties of the function. **(Page 1, Paragraph 9, Lines 7-9)**

**Regarding Claim 47:**

**Kodosky et al. discloses** the system of claim 43, further comprising means for associating a data item with the function. **(Page 1, Paragraph 9, Lines 7-9. Page 2, Paragraph 11, Lines 2-7)**

Art Unit: 2128

**Regarding Claim 48:**

**Kodosky et al. discloses the system of claim 34, wherein the function comprises a graphical function. (Page 6, Paragraph 63, Lines 1-8)**

**Regarding Claim 49:**

**Kodosky et al. discloses the system of claim 43, wherein the function has a plurality of configurable properties. (Page 1, Paragraph 10, Lines 1-5)**

**Regarding Claim 50:**

**Kodosky et al. discloses the system of claim 43, wherein the function defines a textual format for invoking the function. (Page 12, Paragraph 132 Lines 1-5. Figure 8)**

**Regarding Claim 51:**

**Kodosky et al. discloses the system of claim 43, further comprising means for providing a shadowing function, wherein shadowing comprises using in a function invocation a function definition proximally closest to a point of invocation of the function in a state diagram hierarchy. (Page 3, Paragraph 20, Lines 8-13; Creators priority order can allow for closest function definition to execute.)**

**Regarding Claim 52:**

**Kodosky et al. discloses a medium for use in a graphical representation environment on an electronic device, the medium holding instructions executable using the electronic device for graphically representing an event-driven system, said instructions comprising instructions of:**

Art Unit: 2128

Providing one or more block components representing one or more states; (**Page 1, Paragraph 9, Lines 1-3**)

Providing one or more transition components representing transitions between the one or more block components representing the states; (**Page 2, Paragraph 16, Lines 1-4**) and

Providing a block component representing a function coupled with at least one of the states or at least one of the transitions. (**Page 2, Paragraph 17, Lines 1-4**)

**Regarding Claim 53:**

**Kodosky et al. discloses** the medium of claim 52, wherein the function accepts at least one argument and returns at least one result. (**Page 1, Paragraph 9, Lines 1-4**)

**Regarding Claim 54:**

**Kodosky et al. discloses** the medium of claim 52, wherein the one or more transition components can invoke the function. (**Paragraph 132 Lines 1-5. Figure 8. Page 1, Paragraph 10, Lines 1-5**)

**Regarding Claim 55:**

**Kodosky et al. discloses** the medium of claim 52, further comprising instructions for accepting user input specifying data properties of the function. (**Page 1, Paragraph 9, Lines 7-9**)

**Regarding Claim 56:**

**Kodosky et al. discloses** the medium of claim 52, further comprising instructions for associating a data item with the function. (**Page 1, Paragraph 9, Lines 7-9. Page 2, Paragraph 11, Lines 2-7**)

**Regarding Claim 57:**



Art Unit: 2128

**Kodosky et al. discloses the medium of claim 52, wherein the function comprises a graphical function. (Page 6, Paragraph 63, Lines 1-8)**

**Regarding Claim 58:**

**Kodosky et al. discloses the medium of claim 52, wherein the function has a plurality of configurable properties. (Page 1, Paragraph 10, Lines 1-5)**

**Regarding Claim 59:**

**Kodosky et al. discloses the medium of claim 52, wherein the function defines a textual format for invoking the function. (Page 12, Paragraph 132 Lines 1-5. Figure 8)**

**Regarding Claim 60:**

**Kodosky et al. discloses the medium of claim 52, further comprising instructions for providing a shadowing function wherein shadowing comprises using in a function invocation a function definition proximally closest to a point of invocation of the function in a state diagram hierarchy. (Page 3, Paragraph 20, Lines 8-13; Creators priority order can allow for closest function definition to execute.)**

**Regarding Claim 60:**

**Kodosky et al. discloses A computer implemented method for modeling a system using a graphical block diagram environment, said method comprising:**

**graphically representing a function for use in conjunction with a model within the graphical block diagram environment; (Page 14, Paragraph 165, Lines 1-5. Figure 19) and**

Art Unit: 2128

textually invoking the graphically represented function within the model. **(Paragraph 132 Lines 1-5. Figure 8)**

**Regarding Claim 61:**

**Kodosky et al. discloses** The computer implemented method of claim 61, wherein the model is represented as a finite state machine. **(Page 3, Paragraph 20, Lines 8-13)**

**Regarding Claim 62:**

**Kodosky et al. discloses** The computer implemented method of claim 62 wherein the finite state machine is a hierarchical finite state machine. **(Page 3, Paragraph 20, Lines 8-13)**

**Regarding Claim 63:**

**Kodosky et al. discloses** The computer implemented method of claim 62, wherein the finite state machine is a hierarchical finite state machine. **(Page 3, Paragraph 20, Lines 8-13)**

**Regarding Claim 64:**

**Kodosky et al. discloses** The computer implemented method of claim 62 further comprising:  
Associating the graphically represented function with at least one state or transition within the finite state machine. **(Page 2, Paragraph 16, Lines 1-4)**

**Regarding Claim 65:**

**Kodosky et al. discloses** The computer implemented method of claim 61, wherein the graphically represented function is represented as at least one of a finite state machine, a state flow

Art Unit: 2128

diagram, a function flow diagram, and a graphical block diagram model. (Page 3, Paragraph 20, Lines 8-13)

**Regarding Claim 66:**

**Kodosky et al. discloses** A medium holding instructions executable using the electronic device for modeling a system using a graphical block diagram environment, said instructions comprising instructions for:

Graphically representing a function for use in conjunction with a model within the graphical block diagram environment; (Page 14, Paragraph 165, Lines 1-5. Figure 19)

Textually invoking the graphically represented function within the model. (Paragraph 132 Lines 1-5. Figure 8)

**Regarding Claim 67:**

**Kodosky et al. discloses** The medium of claim 66, wherein the model is represented as a finite state machine. (Page 3, Paragraph 20, Lines 8-13)

**Regarding Claim 68:**

**Kodosky et al. discloses** The medium of claim 67 further comprising instructions for:

Associating the graphically represented function with at least one state of transition within the finite state machine. (Page 2, Paragraph 16, Lines 1-4)

**Regarding Claim 69:**

**Kodosky et al. discloses** The medium of claim 66, wherein the graphically represented function is represented as at least one or a combination of:

a finite state machine, (Page 3, Paragraph 20, Lines 8-13)

Art Unit: 2128

a state flow diagram,  
a function flow diagram,  
and a graphical block diagram model.

**Regarding Claim 70:**

**Kodosky et al. discloses** A computer implemented system for modeling using a graphical block diagram environment, said system comprising:

Means for graphically representing a function for use in conjunction with a model within the graphical block diagram environment; **(Page 14, Paragraph 165, Lines 1-5. Figure 19)** and

Means for textually invoking the graphically represented function within the model. **(Paragraph 132 Lines 1-5. Figure 8)**

**Regarding Claim 71:**

**Kodosky et al. discloses** The system of claim 70, wherein the model is represented as a finite state machine. **(Page 3, Paragraph 20, Lines 8-13)**

**Regarding Claim 72:**

**Kodosky et al. discloses** The system of claim 71 further comprising means for associating the graphically represented function with at least one state of transition within the finite state machine. **(Page 3, Paragraph 20, Lines 8-13)**

**Regarding Claim 73:**

Art Unit: 2128

**Kodosky et al. discloses** The system of claim 70, wherein the graphically represented function is represented as at least one or a combination of a finite state machine, a state flow diagram, a function flow diagram, and a graphical block diagram model. **(Page 3, Paragraph 20, Lines 8-13)**

**Regarding Claim 74:**

**Kodosky et al. discloses** A graphical block diagram modeling system comprising:

A graphical function for use in conjunction with a model; **(Page 14, Paragraph 165, Lines 1-5. Figure 19)** and

A graphical representation of the model including a textual invocation of the graphically represented function within the model. **(Paragraph 132 Lines 1-5. Figure 8)**

**Regarding Claim 75:**

**Kodosky et al. discloses** The system of claim 74, wherein the model is represented as a finite state machine. **(Page 3, Paragraph 20, Lines 8-13)**

**Regarding Claim 76:**

**Kodosky et al. discloses** The system of claim 75, wherein the finite state machine is a hierarchical finite state machine. **(Page 3, Paragraph 20, Lines 8-13)**

**Regarding Claim 77:**

**Kodosky et al. discloses** The system of claim 75, wherein the finite state machine further comprises at least one state or transition associated with the graphical function. **(Page 3, Paragraph 20, Lines 8-13)**

Art Unit: 2128

**Regarding Claim 78:**

**Kodosky et al. discloses** The system of claim 74, wherein the graphical function is represented as at least one or a combination of:

a finite state machine, **(Page 3, Paragraph 20, Lines 8-13)**

a state flow diagram,

a function flow diagram,

and a graphical block diagram model.

**Response to Arguments**

5. Applicant's arguments filed **3 January 2006** have been fully considered but they are not persuasive.

i) Applicant argues that Kodosky does not disclose making a call to a graphical function that is then executed during the model execution. **There appears to be no mention of “model execution” in claim 1. It appears that the Applicant is reading limitations that are not present in the claims. Also, as can be seen in Fig. 1, for example, functions are called from within the finite state machine.**

ii) Applicant argues that Kodosky does not disclose graphically representing that at least one function graphically for use with a finite state machine. **However, as per Fig. 1, for example, as well as the software program LabView, see paragraph 31, the functions are represented graphically.**

iii) Applicant argues that Kodosky does not disclose defining a function graphically so that the graphical function can be used in conjunction with a graphical representation of a finite state machine. Applicant argues that Kodosky does not disclose providing a graphical user interface defining a function in conjunction with a graphical representation of a finite state machine and representing the at least one function graphically. **However, as per Fig. 1, for example, as well as the software program LabView, see paragraph 31, the functions are represented graphically.**

Art Unit: 2128

iv) Applicant argues that Kodosky does not disclose receiving user input defining at least one graphical function. **However, as per the abstract, “enabling the user to easily fill in the graphical program with source code”, is user input.**

v) Applicant argues that Kodosky does not disclose a component representing a function, nor that such a component may be coupled with at least one state or transition. **However, as per paragraph 67, the GPG program of Kodosky can be utilized using component based techniques.**

vi) Applicant argues that Kodosky does not disclose that a transition can invoke a graphical function. Applicant argues that Kodosky does not disclose that a state or transition can invoke a graphical function. **However, as per Fig. 1, for example, the transitions invoke the graphical functions.**

vii) Applicant argues that Kodosky does not disclose graphically representing a function for use in conjunction with a model. **However, as per paragraph 8, for example, Kodosky discloses the GPG used to model a process as well as graphically representing the functions.**

viii) Applicant argues that Kodosky does not disclose textually invoking the graphically represented function from within the model. **However, as per paragraph 33, for example, Kodosky discloses invoking the program using text data.**

### **Conclusion**

6. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

Art Unit: 2128

the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

7. The prior art made of record is not relied upon because it is cumulative to the applied rejection.

These references include:

A) Stateflow Version 2. Mathworks. May 1999.

8. All Claims are rejected.

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Saif A. Alhija whose telephone number is (571) 272-8635. The examiner can normally be reached on M-F, 11:00-7:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kamini Shah can be reached on (571) 272-2279. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

SAA

March 29, 2006

HUGH JONES Ph.D.  
PATENT EXAMINER  
EBC CENTER 2100  
*[Signature]*